



## WINTER CONCRETE TB S 30 C30/37

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** WINTER CONCRETE TB S 30 C30/37  
**Other means of identification:**  
Not relevant
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Concrete  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Fescon Oy  
Hämeenkatu 9  
FI-05820 Hyvinkää - Suomi - Finland  
Phone: +358 (0)20 789 5900  
fescon@fescon.fi  
www.fescon.fi
- 1.4 Emergency telephone number:** 112

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
This product contains less than 1% of crystalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Eye Dam. 1: Serious eye damage, Category 1, H318  
Skin Irrit. 2: Skin irritation, Category 2, H315  
STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Danger**  
  
**Hazard statements:**  
Eye Dam. 1: H318 - Causes serious eye damage.  
Skin Irrit. 2: H315 - Causes skin irritation.  
STOT SE 3: H335 - May cause respiratory irritation.  
**Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P264: Wash thoroughly after handling.  
P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501: Dispose of contents/container according to the separated collection system used in your municipality.  
**Supplementary information:**  
EUH208: Contains Flue dust, portland cement. May produce an allergic reaction.  
**Substances that contribute to the classification**  
Cement, portland, chemicals (contains less than 0,0002 % soluble chromium (VI) of the total dry weight of the cement)  
**UFI:** 5NSQ-Q464-Y006-C7H8
- 2.3 Other hazards:**

- CONTINUED ON NEXT PAGE -



## WINTER CONCRETE TB S 30 C30/37

### SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Inorganic compounds

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification  | Chemical name/Classification   | Concentration |
|---|--|---------------|
| CAS: 65997-15-1<br>EC: 266-043-4<br>Index: Non-applicable<br>REACH: Non-applicable        | <b>Cement, portland, chemicals (contains less than 0,0002 % soluble chromium (VI) of the total dry weight of the cement)<sup>(1)</sup></b> Self-classified | 10 - <25 %    |
|   | Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger   |               |
| CAS: 7631-99-4<br>EC: 231-554-3<br>Index: Non-applicable<br>REACH: 01-2119488221-41-XXXX  | <b>Sodium nitrate<sup>(1)</sup></b> Self-classified  | 1 - <2.5 %    |
|   | Regulation 1272/2008 Eye Irrit. 2: H319; Ox. Sol. 3: H272 - Warning  |               |
| CAS: 68475-76-3<br>EC: 270-659-9<br>Index: Non-applicable<br>REACH: 01-2119486767-17-XXXX | <b>Flue dust, portland cement<sup>(1)</sup></b> Self-classified  | <1 %          |
|   | Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335 - Danger   |               |
| CAS: 50-00-0<br>EC: 200-001-8<br>Index: 605-001-00-5<br>REACH: 01-2119488953-20-XXXX      | <b>Formaldehyde<sup>(2)</sup></b> ATP ATP06  | <1 %          |
|   | Regulation 1272/2008 Acute Tox. 3: H301+H311+H331; Carc. 1B: H350; Muta. 2: H341; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger                         |               |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                                | Specific concentration limit  |
|---|---|
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8 | % (w/w) >=25: Skin Corr. 1B - H314<br>5<= % (w/w) <25: Skin Irrit. 2 - H315<br>% (w/w) >=25: Eye Dam. 1 - H318<br>5<= % (w/w) <25: Eye Irrit. 2 - H319<br>% (w/w) >=0.2: Skin Sens. 1 - H317<br>% (w/w) >=5: STOT SE 3 - H335 |

\*\* Changes with regards to the previous version

### SECTION 4: FIRST AID MEASURES

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

**By skin contact:**

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

**By eye contact:**

- CONTINUED ON NEXT PAGE -



## WINTER CONCRETE TB S 30 C30/37

### SECTION 4: FIRST AID MEASURES (continued)

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. Use preferably water.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

**6.4 Reference to other sections:**

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:**

- CONTINUED ON NEXT PAGE -



## WINTER CONCRETE TB S 30 C30/37

### SECTION 7: HANDLING AND STORAGE (continued)

#### A.- General precautions for safe use

Use in ventilated areas. Avoid the build up of dust

#### B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Maximum Temp.: 30 °C

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Keep the container tightly sealed and protected from open air and humidity.

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification  | Occupational exposure limits |         |                        |
|---|------------------------------|---------|------------------------|
|   | IOELV (8h)                   | 0,3 ppm | 0,37 mg/m <sup>3</sup> |
| Formaldehyde <sup>(1)</sup><br>CAS: 50-00-0 EC: 200-001-8 | IOELV (STEL)                 | 0,6 ppm | 0,74 mg/m <sup>3</sup> |

<sup>(1)</sup> Sensitising potential

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

#### DNEL (Workers):

| Identification   |            | Short exposure |                        | Long exposure       |                         |
|--|------------|----------------|------------------------|---------------------|-------------------------|
|  |            | Systemic       | Local                  | Systemic            | Local                   |
| Flue dust, portland cement<br>CAS: 68475-76-3<br>EC: 270-659-9 | Oral       | Not relevant   | Not relevant           | Not relevant        | Not relevant            |
|  | Dermal     | Not relevant   | Not relevant           | Not relevant        | Not relevant            |
|  | Inhalation | Not relevant   | 4 mg/m <sup>3</sup>    | Not relevant        | 0,84 mg/m <sup>3</sup>  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                  | Oral       | Not relevant   | Not relevant           | Not relevant        | Not relevant            |
|  | Dermal     | Not relevant   | Not relevant           | 240 mg/kg           | Not relevant            |
|  | Inhalation | Not relevant   | 0,75 mg/m <sup>3</sup> | 9 mg/m <sup>3</sup> | 0,375 mg/m <sup>3</sup> |

#### DNEL (General population):

| Identification   |            | Short exposure |              | Long exposure         |                        |
|--|------------|----------------|--------------|-----------------------|------------------------|
|  |            | Systemic       | Local        | Systemic              | Local                  |
| Flue dust, portland cement<br>CAS: 68475-76-3<br>EC: 270-659-9 | Oral       | Not relevant   | Not relevant | Not relevant          | Not relevant           |
|  | Dermal     | Not relevant   | Not relevant | Not relevant          | Not relevant           |
|  | Inhalation | Not relevant   | Not relevant | Not relevant          | 0,84 mg/m <sup>3</sup> |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                  | Oral       | Not relevant   | Not relevant | 4,1 mg/kg             | Not relevant           |
|  | Dermal     | Not relevant   | Not relevant | 102 mg/kg             | Not relevant           |
|  | Inhalation | Not relevant   | Not relevant | 3,2 mg/m <sup>3</sup> | 0,1 mg/m <sup>3</sup>  |

#### PNEC:

- CONTINUED ON NEXT PAGE -



## WINTER CONCRETE TB S 30 C30/37

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)



| Identification   |              |              |                         |              |
|--|--------------|--------------|-------------------------|--------------|
| Sodium nitrate<br>CAS: 7631-99-4<br>EC: 231-554-3              | STP          | 18 mg/L      | Fresh water             | Not relevant |
|  | Soil         | Not relevant | Marine water            | Not relevant |
|  | Intermittent | Not relevant | Sediment (Fresh water)  | Not relevant |
|  | Oral         | Not relevant | Sediment (Marine water) | Not relevant |
| Flue dust, portland cement<br>CAS: 68475-76-3<br>EC: 270-659-9 | STP          | 6 mg/L       | Fresh water             | 0,282 mg/L   |
|  | Soil         | 5 mg/kg      | Marine water            | 0,028 mg/L   |
|  | Intermittent | 0,282 mg/L   | Sediment (Fresh water)  | 0,875 mg/kg  |
|  | Oral         | Not relevant | Sediment (Marine water) | 0,088 mg/kg  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                  | STP          | 0,19 mg/L    | Fresh water             | 0,44 mg/L    |
|  | Soil         | 0,2 mg/kg    | Marine water            | 0,44 mg/L    |
|  | Intermittent | 4,44 mg/L    | Sediment (Fresh water)  | 2,3 mg/kg    |
|  | Oral         | Not relevant | Sediment (Marine water) | 2,3 mg/kg    |

#### 8.2 Exposure controls:



##### A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

##### B.- Respiratory protection



| Pictogram   | PPE  | Labelling   | CEN Standard  | Remarks   |
|---|--|---|---|---|
| <br>Mandatory respiratory tract protection | Filter mask for gases, vapours and particles |  | EN 149:2001+A1:2009<br>EN 405:2002+A1:2010<br>EN ISO 136:1998 | Replace when an increase in resistance to breathing is observed and/or a smell or taste of the contaminant is detected. |

##### C.- Specific protection for the hands



| Pictogram  | PPE  | Labelling   | CEN Standard      | Remarks  |
|--|--|---|-------------------|--|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.15 mm) |  | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

##### D.- Eye and face protection

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

##### E.- Body protection



| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

##### F.- Additional emergency measures

- CONTINUED ON NEXT PAGE -



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |              |
|---------------------------|--------------|
| V.O.C. (Supply):          | 0 % weight   |
| V.O.C. density at 20 °C:  | Not relevant |
| Average carbon number:    | 1            |
| Average molecular weight: | 30 g/mol     |

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

##### Appearance:

|                          |  |
|--------------------------|--|
| Physical state at 20 °C: | Solid  |
| Appearance:              | Powdery  |
| Colour:                  |  Grey |
| Odour:                   | Not available  |
| Odour threshold:         | Not relevant *   |

##### Volatility:

|  |                |
|--|----------------|
| Boiling point at atmospheric pressure: | Not relevant * |
| Vapour pressure at 20 °C:              | Not relevant * |
| Vapour pressure at 50 °C:              | Not relevant * |
| Evaporation rate at 20 °C:             | Not relevant * |

##### Product description:

|  |                |
|--|----------------|
| Density at 20 °C:                            | Not relevant * |
| Relative density at 20 °C:                   | Not relevant * |
| Dynamic viscosity at 20 °C:                  | Not relevant * |
| Kinematic viscosity at 20 °C:                | Not relevant * |
| Kinematic viscosity at 40 °C:                | Not relevant * |
| Concentration:                               | Not relevant * |
| pH:  | ca. 13         |
| Vapour density at 20 °C:                     | Not relevant * |
| Partition coefficient n-octanol/water 20 °C: | Not relevant * |
| Solubility in water at 20 °C:                | Not relevant * |
| Solubility properties:                       | Not relevant * |
| Decomposition temperature:                   | Not relevant * |
| Melting point/freezing point:                | Not relevant * |

##### Flammability:

|              |                |
|--------------|----------------|
| Flash Point: | Non-applicable |
|--------------|----------------|

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|                            |                |
|----------------------------|----------------|
| Flammability (solid, gas): | Not relevant * |
| Autoignition temperature:  | Not relevant * |
| Lower flammability limit:  | Not relevant * |
| Upper flammability limit:  | Not relevant * |

#### Explosive (Solid):

|                        |                |
|------------------------|----------------|
| Lower explosive limit: | Not relevant * |
| Upper explosive limit: | Not relevant * |

#### Particle characteristics:

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Not relevant * |
|-----------------------------|----------------|

#### 9.2 Other information:

##### Information with regard to physical hazard classes:

|  |                |
|--|----------------|
| Explosive properties:  | Not relevant * |
| Oxidising properties:  | Not relevant * |
| Corrosive to metals:   | Not relevant * |
| Heat of combustion:  | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

##### Other safety characteristics:

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity            |
|--------------------|------------------|-------------------------|----------------|---------------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Avoid direct impact |

#### 10.5 Incompatible materials:

| Acids        | Water                                    | Oxidising materials | Combustible materials | Others                                      |
|--------------|--|---------------------|-----------------------|---|
| Incompatible | Silicate formation and calcium hydroxide | Avoid direct impact | Precaution            | Base metal salts (Al, NH <sub>4</sub> ,...) |

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: Mixture based on inorganic substances.

### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -





**WINTER CONCRETE TB S 30 C30/37**

**SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)**

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.  
IARC: Formaldehyde (1)
- Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring

**Specific toxicology information on the substances:**

| Identification                                    | Acute toxicity |             | Genus |
|---|----------------|-------------|-------|
|   | LD50 oral      | LD50 dermal |       |
| Sodium nitrate<br>CAS: 7631-99-4<br>EC: 231-554-3 | 3430 mg/kg     |             | Rat   |
|   |                |             |       |
|   |                |             |       |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8     | 100 mg/kg      |             |       |
|   | 300 mg/kg      |             |       |
|   |                |             |       |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

\*\* Changes with regards to the previous version





### SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

Endocrine-disrupting properties: The product does not meet the criteria.

#### Other information

Not relevant

\*\* Changes with regards to the previous version

### SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### 12.1 Toxicity:

##### Acute toxicity:

| Identification                                    | Concentration |                  | Species             | Genus      |
|---|---------------|------------------|---------------------|------------|
|   | LC50          | EC50             |                     |            |
| Sodium nitrate<br>CAS: 7631-99-4<br>EC: 231-554-3 | LC50          | 6650 mg/L (96 h) | Gambusia affinis    | Fish       |
|   | EC50          | 6000 mg/L (24 h) | Daphnia magna       | Crustacean |
|   | EC50          | Not relevant     |                     |            |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8     | LC50          | 100 mg/L (96 h)  | Lepomis macrochirus | Fish       |
|   | EC50          | 42 mg/L (24 h)   | Daphnia magna       | Crustacean |
|   | EC50          | Not relevant     |                     |            |

##### Chronic toxicity:

| Identification                                 | Concentration |              | Species             | Genus      |
|--|---------------|--------------|---------------------|------------|
|  | NOEC          | EC50         |                     |            |
| Sodium nitrate<br>CAS: 7631-99-4 EC: 231-554-3 | NOEC          | 157 mg/L     | Pimephales promelas | Fish       |
|  | NOEC          | Not relevant |                     |            |
| Formaldehyde<br>CAS: 50-00-0 EC: 200-001-8     | NOEC          | Not relevant |                     |            |
|  | NOEC          | 6,4 mg/L     | Daphnia magna       | Crustacean |

#### 12.2 Persistence and degradability:

##### Substance-specific information:

| Identification                                | Degradability |              | Biodegradability |                            |
|---|---------------|--------------|------------------|----------------------------|
|   | BOD5          | COD          | Concentration    | 100 mg/L                   |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8 | BOD5          | Not relevant | 14 days          | cellPeriodoTesteoContenido |
|   | COD           | Not relevant | % Biodegradable  | 92 %                       |
|   | BOD5/COD      | Not relevant |                  |                            |

#### 12.3 Bioaccumulative potential:

##### Substance-specific information:

| Identification                                    | Bioaccumulation potential |         |
|---|---------------------------|---------|
|   | BCF                       | Pow Log |
| Sodium nitrate<br>CAS: 7631-99-4<br>EC: 231-554-3 | BCF                       | -3.8    |
|   | Pow Log                   |         |
|   | Potential                 |         |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8     | BCF                       | 3       |
|   | Pow Log                   | 0.35    |
|   | Potential                 | Low     |

#### 12.4 Mobility in soil:

| Identification                                | Absorption/desorption |                      | Volatility |              |
|---|-----------------------|----------------------|------------|--------------|
|   | Koc                   | Surface tension      | Henry      | Dry soil     |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8 | Koc                   | 1,416E-2 N/m (25 °C) | Moist soil | Not relevant |
|   | Conclusion            |                      |            |              |
|   | Surface tension       |                      |            |              |

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



### SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)

#### 12.7 Other adverse effects:

Not described

\*\* Changes with regards to the previous version

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

| Code      | Description                                      | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 16 03 03* | inorganic wastes containing hazardous substances | Hazardous                                  |

Product - Cement that has exceeded its shelf life: 10 13 99

Product - Unused residue or dry spillage: 10 13 06

Product - after addition of water, hardened: 10 13 14, 17 01 01

#### Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

#### Seveso III:

Not relevant

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

- CONTINUED ON NEXT PAGE -



## WINTER CONCRETE TB S 30 C30/37

### SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors: Contains Sodium nitrate. Product under the provisions of Article 9. However, products that contain explosives precursors only to such a small extent and in such complex mixtures that the extraction of the explosives precursors is technically extremely difficult should be excluded from the scope of this Regulation.

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
- Formaldehyde (50-00-0)

**Texts of the legislative phrases mentioned in section 2:**

H335: May cause respiratory irritation.  
H315: Causes skin irritation.  
H318: Causes serious eye damage.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.  
Carc. 1B: H350 - May cause cancer.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Muta. 2: H341 - Suspected of causing genetic defects.  
Ox. Sol. 3: H272 - May intensify fire, oxidiser.  
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
STOT SE 3: H335 - May cause respiratory irritation.

**Classification procedure:**

STOT SE 3: Calculation method  
Skin Irrit. 2: Calculation method  
Eye Dam. 1: Calculation method

**Advice related to training:**

- CONTINUED ON NEXT PAGE -



### SECTION 16: OTHER INFORMATION (continued)

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road  
 IMDG: International maritime dangerous goods code  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organisation  
 COD: Chemical Oxygen Demand  
 BOD5: 5day biochemical oxygen demand  
 BCF: Bioconcentration factor  
 LD50: Lethal Dose 50  
 LC50: Lethal Concentration 50  
 EC50: Effective concentration 50  
 LogPOW: Octanolwater partition coefficient  
 Koc: Partition coefficient of organic carbon  
 UFI: unique formula identifier  
 IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -