

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

VERTICAL-JOINT CONCRETE WINTER TPSB K40

Other means of identification:

Non-applicable

# **1.2** Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Concrete

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Details of the supplier of the safety data sheet:

Fescon Oy Hämeenkatu 9 FI-05820 Hyvinkää - Suomi - Finland Phone: +358 (0)20 789 5900 fescon@fescon.fi www.fescon.fi

#### **1.4 Emergency telephone number:** 112

# SECTION 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture:

This product contains less than 1% respirable crystalline silica, so it does not require classification

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

# 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Danger



#### Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### Supplementary information:

EUH208: Contains Flue dust, portland cement. May produce an allergic reaction.

#### Substances that contribute to the classification

Cement, portland, chemicals

UFI: 89NX-H2TA-T002-4DER

# 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# VERTICAL-JOINT CONCRETE WINTER TPSB K40

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Inorganic compounds

#### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration	
	65997-15-1	Cement, portland, ch	emicals <sup>(1)</sup> Self-classified		
Index:	266-043-4 Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	25 - <50 %	
CAS:	7631-99-4	Sodium nitrate <sup>(1)</sup>	Self-classified		
EC: Index: REACH:	231-554-3 Non-applicable 01-2119488221-41- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Ox. Sol. 3: H272 - Warning	1 - <2,5 %	
	68475-76-3	Flue dust, portland c	ement <sup>(1)</sup> Self-classified		
EC: 270-659-9 Index: Non-applicable REACH: 01-2119486767-17- XXXX		Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335 - Danger	<1 %	

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

# 5.1 Extinguishing media:

#### Suitable extinguishing media:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**

# SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, handling and use. Use preferably water.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

# Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

# For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

#### For emergency responders:

See section 8.

# 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Use in ventilated areas. Avoid the build up of dust

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Store in a cool, dry, well-ventilated location
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# VERTICAL-JOINT CONCRETE WINTER TPSB K40

# SECTION 7: HANDLING AND STORAGE (continued)

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

#### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Flue dust, portland cement	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68475-76-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 270-659-9	Inhalation	Non-applicable	4 mg/m³	Non-applicable	0,84 mg/m <sup>3</sup>

#### **DNEL** (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Flue dust, portland cement	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68475-76-3	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 270-659-9	Inhalation	Non-applicable	Non-applicable	Non-applicable	0,84 mg/m <sup>3</sup>

PNEC:

Identification				
Sodium nitrate	STP	18 mg/L	Fresh water	Non-applicable
CAS: 7631-99-4	Soil	Non-applicable	Marine water	Non-applicable
EC: 231-554-3	Intermittent	Non-applicable	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Flue dust, portland cement	STP	6 mg/L	Fresh water	0,282 mg/L
CAS: 68475-76-3	Soil	5 mg/kg	Marine water	0,028 mg/L
EC: 270-659-9	Intermittent	0,282 mg/L	Sediment (Fresh water)	0,875 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,088 mg/kg

#### 8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

Filter mask for gases, vapours and particles       Filter mask for gases, vapours and particles       EN 149:2001+A1:2019 EN 405:2002+A1:2010 EN ISO 136:1998       Replace when an increase in resistence to breathing is observed and/or a smell or taste of the contaminant is detected.	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory respiratory tract			EN 405:2002+A1:2010	breathing is observed and/or a smell or taste of the

C.- Specific protection for the hands



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**

	Pictogram	PPE	Labelling	CEN Standard		Remarks	
	Mandatory band	Protective gloves against minor risks	CE		prolonged p professional u CE III gloves	es in case of any sign of damage. eriods of exposure to the product users/industrials, we recommend u in line with standards EN 420:200	
	Mandatory hand protection		CALL			and EN ISO 374-1:2016+A1:2018	
		a mixture of several subs d has therefore to be che			rial can not	be calculated in advance wit	
	Ocular and facial						
	Pictogram	PPE	Labelling	CEN Standard		Remarks	
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018		and disinfect periodically according turer´s instructions. Use if there risk of splashing.	
E	Body protection		L				
	Pictogram	PPE	Labelling	CEN Standard		Remarks	
		Work clothing	CATI		periods of p profes recommende in EN ISO 65	ore any evidence of deterioration. rolonged exposure to the product sional/industrial users CE III is ed, in accordance with the regulat 29:2013, EN ISO 6530:2005, EN 3688:2013, EN 464:1994.	
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of dete periods of prolonged exposure to th professional/industrial users C recommended, in accordance with th in EN ISO 20345:2012 y EN 1383		
F	F Additional emergency measures						
	Emergency mea	asure St	andards	Emergency measure		Standards	
	Emergency sho	ISO 3864-1:20	5I Z358-1 11, ISO 3864-4:201		DIN 12 89 ISO 3864-1:2011, ISC		
Env	vironmental exp						
		ne community legislation product and its container.				ded to avoid environmental	
spil							
spil							
	I 9: PHYSICAL A	and chemical prop	PERTIES				
ION		AND CHEMICAL PROP					
ION							
ION Inf Ap	formation on bas	sic physical and chemi		-			
ION Inf Ap	formation on bas pearance:	sic physical and chemi	cal properties				
ION Inf App Phy App	formation on bas pearance: /sical state at 20 º	sic physical and chemi	<b>cal properties</b> Solid Powd				
ION Inf App Phy App Cole	formation on bas pearance: ysical state at 20 ° pearance:	sic physical and chemi	<b>cal properties</b> Solid Powd Not a	ery			
ION Inf App Phy App Cole	formation on bas pearance: vsical state at 20 ° pearance: our:	sic physical and chemi	<b>cal properties</b> Solid Powd Not a Not a	ery vailable			
ION Inf App Phy App Cold Odd	formation on bas pearance: ysical state at 20 ° pearance: our: our:	sic physical and chemi	<b>cal properties</b> Solid Powd Not a Not a	ery vailable vailable			
ION Inf App Phy App Cold Odd Odd Vol	formation on bas pearance: vsical state at 20 ° pearance: our: our: our:	sic physical and chemi C:	<b>cal properties</b> Solid Powd Not a Not a Non-a	ery vailable vailable			
ION Inf App Phy App Cold Odd Odd Odd Odd Odd Odd Odd Doil	formation on bas pearance: ysical state at 20 ° pearance: our: our: our: our threshold: latility:	sic physical and chemi C: spheric pressure:	<b>cal properties</b> Solid Powd Not a Not a Non-a	ery vailable vailable applicable *			
ION Inf App Phy App Cold Odd Odd Odd Vol Boil Vap	formation on bas pearance: vsical state at 20 o pearance: our: our: our: our threshold: latility: ling point at atmos	sic physical and chemi C: spheric pressure: 0 °C:	<b>cal properties</b> Solid Powd Not a Non-a Non-a Non-a	ery vailable vailable applicable * applicable *			
ION Inf App Phy App Colo Odd Odd Odd Odd Vol Boil Vap Vap	formation on bas pearance: ysical state at 20 ° pearance: our: our: our threshold: latility: ling point at atmos pour pressure at 20 pour pressure at 20	sic physical and chemi C: spheric pressure: 0 °C: 0 °C:	<b>cal properties</b> Solid Powd Not a Non-a Non-a Non-a Non-a	ery vailable vailable applicable * applicable * applicable *			
ION Inf App Phy App Cold Odd Odd Odd Odd Odd Odd Odd Vol Boil Vap Vap Eva	formation on bas pearance: vsical state at 20 ° pearance: our: our: our threshold: latility: ling point at atmos pour pressure at 20	sic physical and chemi C: spheric pressure: 0 °C: 0 °C: 0 °C:	<b>cal properties</b> Solid Powd Not a Non-a Non-a Non-a Non-a	ery vailable applicable * applicable * applicable *			
ION Inf App Phy App Cold Odd Odd Vol Boill Vap Eva Pro	formation on bas pearance: ysical state at 20 ° pearance: our: our: our threshold: latility: ling point at atmos pour pressure at 20 pour pressure	sic physical and chemi C: spheric pressure: 0 °C: 0 °C: 0 °C:	<b>cal properties</b> Solid Powd Not a Non-a Non-a Non-a Non-a Non-a	ery vailable vailable applicable * applicable * applicable * applicable *			

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



**VERTICAL-JOINT CONCRETE WINTER TPSB K40** 



SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIES	G (continued)
	Density at 20 °C:	Non-applicable *
	Relative density at 20 °C:	Non-applicable *
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive (Solid):	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable *
9.2	Other information:	
	Information with regard to physical hazard class	ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable	Non-applicable *
	components: Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing infor	

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

# 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# **10.4** Conditions to avoid:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



VERTICAL-JOINT CONCRETE WINTER TPSB K40

# SECTION 10: STABILITY AND REACTIVITY (continued)

Applicable for handling and storage at room temperature:

	· ++··································									
	Shock and friction Contact with air		Increase in temperature	Sunlight	Humidity					
Not applicable Not applicable Not applicable Not applicable				Not applicable	Avoid direct impact					
10.5	10.5 Incompatible materials:									
	Acids	Water	Oxidising materials	Combustible materials	Others					
	Incompatible Silicate formation and calciu hydroxide		Not applicable	Precaution	Base metal salts (Al, NH4,)					

# **10.6** Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# VERTICAL-JOINT CONCRETE WINTER TPSB K40

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

# H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# Other information:

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring

#### Specific toxicology information on the substances:

	Identification	Acute toxicity		Genus
So	odium nitrate	LD50 oral	3430 mg/kg	Rat
CA	AS: 7631-99-4	LD50 dermal	Non-applicable	
EC	C: 231-554-3	LC50 inhalation	Non-applicable	

# **11.2** Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

#### **Other information**

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

#### Acute toxicity:

Identification	Concentration		Species	Genus
Sodium nitrate	LC50	6650 mg/L (96 h)	Gambussia afinis	Fish
CAS: 7631-99-4	EC50	6000 mg/L (24 h)	Daphnia magna	Crustacean
EC: 231-554-3	EC50	Non-applicable		

#### **Chronic toxicity:**

Identification		Concentration	Species	Genus
Sodium nitrate	NOEC	157 mg/L	Pimephales promelas	Fish
CAS: 7631-99-4 EC: 231-554-3	NOEC	Non-applicable		

# 12.2 Persistence and degradability:

Not available

# **12.3** Bioaccumulative potential:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**

# SECTION 12: ECOLOGICAL INFORMATION (continued) Identification Bioaccumulation potential Sodium nitrate BCF CAS: 7631-99-4 Pow Log EC: 231-554-3 Potential 12.4 Mobility in soil: Not available 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

# **13.1** Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 03 03*	inorganic wastes containing hazardous substances	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant — skin irritation and eye damage

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

#### SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**



# SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors: Contains Sodium nitrate. Product under the provisions of Article 9. However, products that contain explosives precursors only to such a small extent and in such complex mixtures that the extraction of the explosives precursors is technically extremely difficult should be excluded from the scope of this Regulation.

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

Occupational exposure to respirable crystalline silica must be controlled pursuant to Directive (EU) 2019/130.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

# Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

#### Texts of the legislative phrases mentioned in section 2:

H335: May cause respiratory irritation.

H315: Causes skin irritation.

H318: Causes serious eye damage.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Ox. Sol. 3: H272 - May intensify fire, oxidiser. Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

# Classification procedure:

STOT SE 3: Calculation method Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method

# Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

# Abbreviations and acronyms:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation





# **VERTICAL-JOINT CONCRETE WINTER TPSB K40**

# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Revised: 16/01/2023